





### 关于我们About us

广东汕樟轻工股份有限公司,创建于1989年,系专业研发设计制造印刷包装装备的企业; 是汕头市最早的国家级高新技术企业之一,历年来荣获国家、省和市科技进步奖及各项奖 是如此《印度书记》等《新州农水上工工》, 如证30回,多项产品填补回至日,主要产品有印版印刷机系列,承加印刷机系列。 能流布机系列,整合机系列以及VOC工业发气处理装置等。加坡除产品模字进分;各名牌产 品。加除注册除处保产力产场需各名商标,产品销至全国一十多个省市,并出口毒国。印度 尼西亚、印度、伊朗、路詢、尼日和史。巴基斯坦、明化比亚等一十多个国家,市场反响良好, 得到国内外业界的营营,连续26年度等"广东省分员回属用企业"称号。

同时,汕樟轻工也是全国机械工业先进集体、中国包装行业三十强企业、广东省中小企业创新 产业示范基地以及数字化印刷包装设备创新产业化基地。

GUANGDONG SHANGZHANG MACHINERY CO., LTD established in 1989, was specialized in designing and manufacturing printing packaging equipment, it is one of the pioneer national high-tech enterprises. In recent years, we won nearly 30 (tems such as national, provincial, municipal science and technology progress award and various awards, many products of our company fill the domestic gap. The main products including Gravure printing press series, Hexographic printing press series, Mulfunctional coating machine series, Compound machine relevigiaphin princip press series, authoritorico column phactimes series, comporte habitime series and VOC industrial waste gas treatment equipment, etc. Shantou brand products are evaluated as Guangdong famous brand products, SPANZHANG registered trademark was rated as a famous brand in GUANGOONG Province. The product sold to more than 20 provinces and provinces and control of the product sold to more than 20 provinces and the product sold to more than 20 provinces and the product sold to more than 20 provinces and provinces and the provinces and the product sold to more than 20 provinces and the product sold the product sold to more than 20 provinces and the product sold the product sold to the product sold to more than 20 provinces and the product sold the product sold to the product sold to more than 20 provinces and the product sold the product sold to the product sold to more than 20 provinces and the product sold the product sold to as a raimous brain in UNANBOUNTS PROVINCE. THE PRODUCTS ON TO MICE than 20 provinces and cities throughout the nationwide, and exported to more than 20 countries, such as Thailand, Indonesia, India, Iran, Vietnam, Nigeria, Pakistan and Columbia. The market has been well repercussions and praised by the domestic and foreign industry. It has been obtain the title of "Guangdong province to abide by the agreement of heavy credit" for 26 years.

At the same time, SHANZHANG industry also the advanced collective of the National Machinery Industry, the top thirty enterprise in China's packaging industry, innovation industry demonstration base of small and medium enterprises in Guangdong and digital printing and packaging equipment innovation industrialization base.











精密张力控制 整机各点张力≤200N,瞬时张力 实现张力和速度的精确控制。 超过300NB寸, 立即发出报警。

Siemens fully integrated Precision tension control Servo automation system Tension of each spot acquire ≤ 200N. Buzzer will alarm whenever tensile force exceed 300N. Intelligent tension detection and real-time dynamic adjustment to achieve precise control of tension and speed.



# 停机张力释放系统

在设备停机时,系统自动释放张力, 保证各段张力小于5N。

Tension release system Tension force automatically reduce to <5N when E-stop.



智能人机交互界面 实时显示运作状况,全部设备参数 可通过触摸屏实现精确设定。

Intelligent HCI Interface All desire parameters can be set accurately by the touch screen.

## 企业奖项<sub>Award</sub>



Nation Torch Award





National Torch Program Project (3 items)





National Key New Products Award (5 items)





National Industrial



Science and Technology Progress Award of Shantou (7 items)

## 产品荣誉Honor












机器速度: 20米/分钟 涂布速度: 3—15米/分钟 控制系统: 全伺服运动控制 放卷直径: 800mm 收卷直径: 800mm 张力范围: 30—250N

Machine speed: 20m/min Coating speed: 3—15m/min
Control system: full servo motion control Diameter of unwinding web: 800mm Diameter of rewinding web: 800mm Tension range: 30—250N



铸膜生产线工作流程(从右向左): Work flow of casting line

(from right to left):

Unwinding Feeding platform Storage mechanism


工艺流程 Technological process:

Coating 放卷 Unwinding 聚砜涂布 Polysulfone coating 凝胶 Gel 漂洗 Rinsing 收卷 Rewinding

### 涂膜生产线 **COATING LINE**

机器速度: 15米/分钟 涂布速度: 3—10米/分钟 控制系统: 全伺服运动控制 放卷直径: 800mm 收卷直径: 800mm 收为范围: 30—250N

Machine speed: 15m/min Coating speed: 3—10m/min
Control system: full servo motion control Diameter of unwinding web: 800mm Diameter of rewinding web: 800mm Tension range: 30—250N



Storing

### 涂膜生产线工作流程(从右向左):

work flow of coating line (from right to left):

工艺流程 Technological process:

